



NOTE: DISTANCE IN FEET

NOTE	ACREAGE	RESERVE	STREET R.O.W.	TOTAL
1	640,929	14,717	70,418	726,064
2	70,418	1,616	3,729	75,763
3	3,729	0,056	190,523	194,308
4	190,523	4,373		194,896
5				194,896

NOTE: DISTANCE IN FEET

NOTE	ACREAGE	RESERVE	STREET R.O.W.	TOTAL
1	640,929	14,717	70,418	726,064
2	70,418	1,616	3,729	75,763
3	3,729	0,056	190,523	194,308
4	190,523	4,373		194,896
5				194,896

RESTRICTED OPEN SPACE RESERVE	SQUARE FEET	ACRES
A	640,929	14.7137
B	70,418	1.6166
C	3,729	0.0856
D	190,523	4.3738

SUMMARY OF ACRES	
LOTS	77.4850
RESERVES	20.7897
STREET R.O.W.	21.3854
TOTAL	119.6601

FILED FOR RECORD  
 1983 SEP 22 PM 3:36  
 Roy Harris  
 COUNTY CLERK  
 MONTGOMERY COUNTY, TEXAS

# THE WOODLANDS VILLAGE OF COCHRANS CROSSING SECTION FOUR

A SUBDIVISION OF 119.6601 ACRES OF LAND BEING LOCATED IN THE HENRY DUNMAN SURVEY, A-163 MONTGOMERY COUNTY, TEXAS

240 LOTS

4 RESERVES

5 BLOCKS

OWNER

ROGER L. GALATAS - SENIOR VICE PRESIDENT  
 G. DAVID BUMGARDNER-ASSISTANT SECRETARY  
 WOODLANDS COMMERCIAL DEVELOPMENT COMPANY  
 TURNER, COLLIE & BRADEN, INC.  
 CONSULTING ENGINEERS  
 HOUSTON, TEXAS

INDEX SHEET  
 SHEET 1 OF 7


JOB NO. 3192-110

SCALE: 1"=300'

MAY, 1983

- NOTES
- "ONE-FOOT RESERVE DEDICATED TO THE PUBLIC IN FEE AS A BUFFER SEPARATION BETWEEN THE SIDE OR END OF STREETS WHERE SUCH STREETS ADJACENT ACRES TRACTS, THE CONDITION OF SUCH DEDICATION BEING THAT WHEN THE ADJACENT PROPERTY IS SUBDIVIDED IN A RECORDED PLAN, THE ONE-FOOT RESERVE SHALL THEREUPON BECOME VESTED IN THE PUBLIC FOR STREET RIGHT-OF-WAY PURPOSES, AND THE FEE TITLE THEREO SHALL REVERT TO AND REVEST IN THE DEDICATOR, HIS HEIRS, ASSIGNS, OR SUCCESSORS".
  - B. L. INDICATES BUILDING LINE.
  - U. E. INDICATES UTILITY EASEMENT.
  - W. L. E. INDICATES WATERLINE EASEMENT.
  - BUILDING LINE TRANSITIONS ARE 45° ANGLES TO THE STRAIGHT SIDE LOT LINE WHERE THE TRANSITION OCCURS.
  - ALL SIDE LOT LINES ARE EITHER PERPENDICULAR OR RADIAL TO THE STREET FRONTAGE UNLESS OTHERWISE NOTED.
  - ALL BEARINGS REFERENCED TO THE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE.
  - STM. S. E. INDICATES STORM SEWER EASEMENT.
  - S. S. E. INDICATES SANITARY SEWER EASEMENT.
  - ALL EASEMENTS ON LOT LINES ARE CENTERED UNLESS OTHERWISE NOTED.
  - THE RADIUS ON ALL BLOCK CORNERS IS 25.00 FEET UNLESS OTHERWISE NOTED.
  - D. E. INDICATES DRAINAGE EASEMENT.
  - R.O.S.R. INDICATES RESTRICTED OPEN SPACE RESERVE.
  - THE STAFF PORTION OF LOT 16, BLOCK 1 IS RESTRICTED TO ACCESS ONLY.
  - ELEVATIONS USED FOR DELINEATING CONTOUR LINES ARE BASED UPON THE WOODLANDS DEVELOPMENT CORPORATION MON. HD-13, ELEVATION 149.58, 1964 ADJUSTMENT.

NOTE: FOR INFORMATION NOT SHOWN ON THIS INDEX SHEET - PLEASE REFER TO INDIVIDUAL SHEETS.



Cabinet 154-A  
 Sheet 1 of 7  
 MAY 1983

STATE OF TEXAS  
COUNTY OF MONTGOMERY

WE, ROGER L. GALATAS AND G. DAVID BUMGARDNER, SENIOR VICE PRESIDENT AND ASSISTANT SECRETARY RESPECTIVELY OF WOODLANDS COMMERCIAL DEVELOPMENT COMPANY, OWNER OF THE PROPERTY SUBDIVIDED IN THE ABOVE AND FOREGOING MAP OF VILLAGE OF COCHRANS CROSSING, SECTION FOUR, DO HEREBY MAKE SUBDIVISION OF SAID PROPERTY FOR AND ON BEHALF OF SAID WOODLANDS COMMERCIAL DEVELOPMENT COMPANY, ACCORDING TO THE LINES, STREETS, LOTS, ALLEYS, PARKS, BUILDING LINES, AND EASEMENTS THEREON SHOWN, AND DESIGNATE SAID SUBDIVISION AS VILLAGE OF COCHRANS CROSSING, SECTION FOUR LOCATED IN THE HENRY DUNMAN SURVEY, A-163, MONTGOMERY COUNTY, TEXAS, AND ON BEHALF OF SAID WOODLANDS COMMERCIAL DEVELOPMENT COMPANY, AND DEDICATE TO THE PUBLIC USE, AS SUCH, THE STREETS, ALLEYS, PARKS AND EASEMENTS SHOWN THEREON FOREVER; AND DO HEREBY WAIVE ANY CLAIMS FOR DAMAGES OCCASIONED BY THE ESTABLISHING OF GRADES AS APPROVED FOR THE STREETS AND ALLEYS DEDICATED, OR OCCASIONED BY THE ALTERATION OF THE SURFACE OF ANY PORTION OF STREETS OR ALLEYS TO CONFORM TO SUCH GRADES; AND DO HEREBY BIND OURSELVES, OUR SUCCESSORS AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE TO THE LAND SO DEDICATED.

THIS IS TO CERTIFY THAT WE, ROGER L. GALATAS AND G. DAVID BUMGARDNER, SENIOR VICE PRESIDENT AND ASSISTANT SECRETARY RESPECTIVELY OF WOODLANDS COMMERCIAL DEVELOPMENT COMPANY, OWNER OF THE PROPERTY SUBDIVIDED IN THE ABOVE FOREGOING MAP OF VILLAGE OF COCHRANS CROSSING, SECTION FOUR HAVE COMPLIED OR WILL COMPLY WITH ALL REGULATIONS HERETOFORE ON FILE WITH THE MONTGOMERY COUNTY ENGINEER AND ADOPTED BY THE COMMISSIONERS' COURT OF MONTGOMERY COUNTY, TEXAS.

THERE IS ALSO DEDICATED FOR UTILITIES AN UNOBSTRUCTED AERIAL EASEMENT FIVE (5) FEET WIDE FROM A PLANE TWENTY (20) FEET ABOVE THE GROUND UPWARD, LOCATED ADJACENT TO ALL EASEMENTS SHOWN HEREON.

FURTHER, WE, WOODLANDS COMMERCIAL DEVELOPMENT COMPANY, DO HEREBY DEDICATE FOREVER TO THE PUBLIC A STRIP OF LAND, A MINIMUM FIFTEEN (15) FEET WIDE ON EACH SIDE OF THE CENTER LINE OF ANY AND ALL GULLIES, RAVINES, DRAWS, SLOUGHS, OR OTHER NATURAL DRAINAGE COURSES LOCATED IN THE SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES, GIVING MONTGOMERY COUNTY AND/OR OTHER PUBLIC AGENCY THE RIGHT TO ENTER UPON SAID EASEMENTS AT ANY AND ALL TIMES FOR THE PURPOSE OF CONSTRUCTING AND/OR MAINTAINING DRAINAGE WORK AND/OR STRUCTURES.

FURTHER, ALL OF THE PROPERTY SUBDIVIDED IN THE ABOVE AND FOREGOING MAP SHALL BE RESTRICTED IN ITS USE, WHICH RESTRICTIONS SHALL RUN WITH THE TITLE TO THE PROPERTY, AND SHALL BE ENFORCEABLE, AT THE OPTION OF MONTGOMERY COUNTY, BY MONTGOMERY COUNTY OR ANY CITIZEN THEREOF, BY INJUNCTION, AS FOLLOWS:

1. THAT DRAINAGE OF SEPTIC TANKS INTO ROAD, STREET, ALLEY, OR OTHER PUBLIC DITCHES, EITHER DIRECTLY OR INDIRECTLY, IS STRICTLY PROHIBITED.
2. DRAINAGE STRUCTURES UNDER PRIVATE DRIVEWAYS SHALL HAVE A NET DRAINAGE OPENING AREA OF SUFFICIENT SIZE TO PERMIT THE FREE FLOW OF WATER WITHOUT BACKWATER, AND SHALL BE A MINIMUM OF ONE AND THREE QUARTERS (1-3/4) SQUARE FEET (18" DIAMETER PIPE CULVERT).

FURTHER, WE DO HEREBY DECLARE THAT ALL PARCELS OF LAND DESIGNATED AS LOTS ON THIS PLAT ARE ORIGINALLY INTENDED FOR THE CONSTRUCTION OF RESIDENTIAL DWELLING UNITS THEREON AND SHALL BE RESTRICTED FOR SAME UNDER THE TERMS AND CONDITIONS OF SUCH RESTRICTIONS FILED SEPARATELY, UNLESS OTHERWISE NOTED.

FURTHER, WE DO HEREBY CERTIFY THAT WE ARE THE OWNERS OF ALL PROPERTY IMMEDIATELY ADJACENT TO THE BOUNDARIES OF THE ABOVE AND FOREGOING PLAT OF VILLAGE OF COCHRANS CROSSING, SECTION FOUR WHERE BUILDING SETBACK LINES OR PUBLIC UTILITY EASEMENTS ARE TO BE ESTABLISHED OUTSIDE THE BOUNDARIES OF THE ABOVE AND FOREGOING PLAT AND DO HEREBY MAKE AND ESTABLISH ALL BUILDING SETBACK LINES AND DEDICATE TO THE USE OF THE PUBLIC FOREVER ALL PUBLIC UTILITY EASEMENTS SHOWN IN SAID ADJACENT ACREAGE.

IN TESTIMONY WHEREOF, WOODLANDS COMMERCIAL DEVELOPMENT COMPANY, HAS CAUSED THESE PRESENTS TO BE SIGNED BY ROGER L. GALATAS, ITS SENIOR VICE PRESIDENT, THEREUNTO AUTHORIZED, ATTESTED BY ITS ASSISTANT SECRETARY, G. DAVID BUMGARDNER, AND ITS CORPORATE SEAL HEREUNTO AFFIXED THIS 28th DAY OF June, 1983.

ATTEST: G. David Bumgardner  
G. DAVID BUMGARDNER, ASSISTANT SECRETARY

WOODLANDS COMMERCIAL DEVELOPMENT COMPANY  
BY: Roger L. Galatas  
ROGER L. GALATAS, SENIOR VICE PRESIDENT

STATE OF TEXAS  
COUNTY OF MONTGOMERY


BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED ROGER L. GALATAS, SENIOR VICE PRESIDENT AND G. DAVID BUMGARDNER, ASSISTANT SECRETARY OF WOODLANDS COMMERCIAL DEVELOPMENT COMPANY, KNOWN TO ME TO BE THE PERSONS WHOSE NAMES ARE SUBSCRIBED TO THE FOREGOING INSTRUMENTS, AND EACH ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED, AND IN THE CAPACITY THEREIN AND HEREIN SET OUT, AND AS THE ACT AND DEED OF SAID CORPORATION, WHICH CORPORATION ACTED THEREIN IN THE CAPACITIES THEREIN STATED.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS 28th DAY OF June, 1983.



Wanda M. Wolf  
NOTARY PUBLIC IN AND FOR MONTGOMERY COUNTY, TEXAS  
MY COMMISSION EXPIRES  
WANDA M. WOLF  
Notary Public, State of Texas  
My Commission Expires 6/16-84

THIS IS TO CERTIFY THAT I, CHARLES MAGAN, A LICENSED SURVEYOR OF THE STATE OF TEXAS, HAVE PLATTED THE ABOVE SUBDIVISION FROM AN ACTUAL SURVEY ON THE GROUND; AND THAT ALL BLOCK CORNERS, ANGLE POINTS AND POINTS OF CURVE ARE PROPERLY MARKED WITH IRON RODS OF MINIMUM 5/8" DIAMETER AND 3' LONG, AND THAT THIS PLAT CORRECTLY REPRESENTS THAT SURVEY MADE BY ME.



Charles Magan  
CHARLES MAGAN, REGISTERED PUBLIC SURVEYOR  
TEXAS REGISTRATION NO. 1570.

THIS IS TO CERTIFY THAT THE CITY PLANNING COMMISSION OF THE CITY OF HOUSTON, TEXAS, HAS APPROVED THIS PLAT AND SUBDIVISION OF VILLAGE OF COCHRANS CROSSING, SECTION FOUR HEREON.

IN TESTIMONY WHEREOF, WITNESS THE OFFICIAL SIGNATURE OF THE CHAIRMAN AND SECRETARY OF THE CITY PLANNING COMMISSION OF THE CITY OF HOUSTON, TEXAS, THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 1983.

Efrain S. Garcia, SECRETARY

Burdette Keeland, CHAIRMAN



STATE OF TEXAS  
COUNTY OF MONTGOMERY

I, J. D. BLANTON, COUNTY ENGINEER OF MONTGOMERY COUNTY, TEXAS, DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE ABOVE EXISTING RULES AND REGULATIONS OF THIS OFFICE AS ADOPTED BY THE MONTGOMERY COUNTY COMMISSIONERS' COURT.

I FURTHER CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH REQUIREMENTS FOR INTERNAL SUBDIVISION DRAINAGE AS ADOPTED BY COMMISSIONERS COURT; HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ON ANY OTHER AREA OF SUBDIVISION WITHIN THE WATERSHED.

J. D. Blanton  
J. D. BLANTON, COUNTY ENGINEER

APPROVED BY THE COMMISSIONERS' COURT OF MONTGOMERY COUNTY, TEXAS, THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 1983.

COMMISSIONER, PRECINCT 1  
BO CALFEE

COMMISSIONER, PRECINCT 2  
CAROLYN SHELTON

COUNTY JUDGE  
JIMMIE C. EDWARDS, III

Weldon Locke  
COMMISSIONER, PRECINCT 3  
WELDON LOCKE

COMMISSIONER, PRECINCT 4  
A. V. SALLAS

STATE OF TEXAS  
COUNTY OF MONTGOMERY

I, ROY HARRIS, CLERK OF THE COUNTY COURT OF MONTGOMERY COUNTY, TEXAS, DO HEREBY CERTIFY THAT THE WITHIN INSTRUMENT WITH ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR REGISTRATION IN MY OFFICE ON \_\_\_\_\_, 1983, AT \_\_\_\_\_ O'CLOCK, .M., AND DULY RECORDED ON \_\_\_\_\_, 1983, AT \_\_\_\_\_ O'CLOCK, .M., IN CABINET \_\_\_\_\_, SHEET \_\_\_\_\_, OF RECORD OF \_\_\_\_\_ FOR SAID COUNTY.

WITNESS MY HAND AND SEAL OF OFFICE, AT CONROE, MONTGOMERY COUNTY, TEXAS, THE DAY AND DATE LAST ABOVE WRITTEN.

ROY HARRIS, CLERK, COUNTY COURT  
MONTGOMERY COUNTY, TEXAS

BY: \_\_\_\_\_, DEPUTY



Cabinet Sheet 154-B

Cabinet Sheet 155-A



SCALE: 1"=100'

SHEET 3  
SHEET 5

SHEET 4  
SHEET 6

# VILLAGE OF COCHRANS CROSSING - SECTION FOUR

SHEET 3 OF 7

RIGHT-OF-WAY  
FILM CODE NO. 138-01-2237  
M. C. O. P. R. R. P.



DITCH  
FILE NO. 8225195

100-YR. FLOOD PLAIN BOUNDARY AS  
ADOPTED BY MONTGOMERY COUNTY  
COMMISSIONERS' COURT,  
NOVEMBER 1, 1982.

ACREAGE

ACREAGE





VILLAGE OF COCHRANS CROSSING - SECTION FOUR

Cabinet D  
 Sheet 155-B  
 155-B

SHEET 79-A  
CIRCLE

SECTION TWO  
CABINET D

M.C.M.R.

DITCH  
FILE NO 822518

SHINING LAKES PLACE

VILLAGE OF COCHRANS CROSSING

RIGHT OF WAY

W.M.W.O.P.R.P.

SUNSET

EAST EDEN ELM CIRCLE

GOLDEN

SILVERSTRAND PLACE

THISTLEWOOD PLACE

SNOWBIRD PLACE

WANDFLOWER PLACE

SHADOW 1

SHADOW 2

FANNIST PLACE

WEST EDEN ELM CIRCLE

SHEET 3  
SHEET 5

SHEET 4  
SHEET 6

$L=1.87$   
 $\Delta=00-14-18$   
 $R=450.00$   
 $CH=S 70-32-20 W$   
 $1.87$

$L=59.29$   
 $\Delta=18-52-23$   
 $R=180.00$   
 $CH=S 60-59-00 W$   
 $59.02$

$L=516.70$   
 $\Delta=29-36-17$   
 $R=1000.00$   
 $CH=S 04-58-18 E$   
 $510.97$

SHEET 3  
SHEET 5

RIGHT-OF-WAY


M.C.C.P. R.R.P.

FILE NO. 138-01-2237

DITCH

FILE NO. 8225195

ACREAGE



SCALE: 1"=100'

ACREAGE

WILLIAM WHITE SURVEY, A-592  
HENRY DUNMAN SURVEY, A-163


HENRY DUNMAN SURVEY, A-163  
CADDO SURVEY, A-45  
CADDO ALLEN SURVEY, A-45

FILE NO. 8228217

R.O.S.R. "A"  
640,929 SQ.FT. 14.7137 AC.

Cabinet  
Sheet  
156-A  
D


# VILLAGE OF COCHRANS CROSSING - SECTION FOUR



WOODLANDS  
FILM CODE NO. 142-01-0330  
COCCHRAN'S CROSSING  
SECTION 4  
CABINET D SHEET 79-88A  
M.C.M.R.

SHEET 3  
SHEET 5

SHEET 4  
SHEET 6



# VILLAGE OF COCHRAN'S CROSSING - SECTION FOUR

Cabinet  
Sheet  
156-B  
D

NOTE	DISTANCE OR ARC LENGTH	BEARING OR DELTA	RADIUS	NOTE	DISTANCE OR ARC LENGTH	BEARING OR DELTA
1	53.12	S 5-29-01E		138	105.52	N32-06-14E
2	64.00	S47-34-39W		139	44.32	N87-20-08W
3	50.00	N14-40-51W		140	26.86	N68-20-27W
4	25.00	S75-19-30W		141	23.32	N85-59-52W
5	52.00	N74-34-34E		142	29.89	S83-01-25W
6	14.00	1-00-10	800.00	143	55.85	S71-21-48W
7	22.00	1-34-32	800.00	144	32.15	S84-30-48W
8	30.00	N 0-52-31E		145	39.25	N76-49-39W
9	30.00	N 0-52-31E		146	27.35	N67-49-20W
10	1.87	0-14-18	450.00	147	38.60	N29-08-05W
11	28.27	S 5-59-51E	180.00	148	31.20	N25-08-28W
12	25.79	S64-48-58W		149	32.38	N 1-07-18W
13	13.00	S16-32-29W		150	25.36	N16-56-01E
14	11.80	S16-32-29W		151	22.58	N28-48-55E
15	10.00	S76-43-16W		152	24.30	N12-44-18E
16	111.00	S13-16-44E		153	100.48	N13-35-56E
17	90.00	S44-48-00W		154	25.19	N25-44-03E
18	10.00	1-08-45	500.00	155	17.71	N16-38-26E
19	27.47	3-08-53	600.00	156	20.97	N 5-10-02E
20	20.00	2-17-31	500.00	157	18.76	N19-27-55W
21	29.04	3-19-40	500.00	158	50.37	N28-58-01W
22	29.00	S23-57-41W		159	22.35	N24-15-12W
23	9.00	N61-09-36E		160	23.32	N 7-07-11W
24	14.25	N61-09-36E		161	20.51	N 8-12-22W
25	30.00	10-05-40	170.00	162	25.05	N26-55-37W
26	7.32	N47-34-39E		163	20.80	N35-03-29W
27	28.39	2-06-45	770.00	164	92.25	N36-02-35W
28	5.60	S47-34-39W		165	88.13	N77-53-39W
29	15.00	N14-40-51W		166	109.20	S21-45-28E
30	10.00	N14-40-51W		167	21.30	S42-27-21E
31	24.12	27-38-52	50.00	168	18.56	S47-48-20E
32	29.88	34-14-20	50.00	169	13.65	S61-08-05E
33	4.00	N90-00-00E		170	12.09	S69-55-53E
34	23.00	26-21-22	50.00	171	15.44	S61-38-20E
35	0.33	S74-34-34W		172	64.07	S44-35-02E
36	20.00	N74-10-05W		173	17.30	S31-02-36E
37	20.73	N67-37-45W		174	14.68	S14-10-09W
38	25.00	28-38-52	50.00	175	20.41	S20-32-05E
39	13.00	1-42-44	435.00	176	15.32	S33-44-27E
40	12.00	1-22-30	500.00	177	18.22	S56-48-41E
41	3.00	S16-32-29W		178	12.78	S64-51-44E
42	19.88	1-22-20	830.00	179	24.62	N89-53-41E
43	10.80	S16-32-29W		180	20.59	N63-24-18E
44	12.00	S11-44-41W		181	18.23	N29-41-01E
45	24.00	S53-25-50E		182	47.75	N30-08-02E
46	25.00	S46-58-11E		183	27.72	N39-45-26E
47	18.72	S59-05-48E		184	28.29	N51-33-15E
48	18.00	S75-13-57W		185	20.77	N25-25-28E
49	21.00	9-37-33	125.00	186	27.88	N25-00-13E
50	12.50	S66-43-48W		187	28.13	N56-27-00E
51	17.78	S84-27-29E		188	22.06	S88-52-21E
52	13.00	14-53-49	50.00	189	23.70	N85-35-37E
53	2.76	0-29-09	325.00	190	21.43	N75-29-47E
54	22.37	N29-20-51E		191	38.76	N61-41-22E
55	23.09	N18-05-28E		192	37.13	N68-44-36E
56	7.00	4-00-39	100.00	193	17.84	S87-45-05E
57	14.27	3-05-07	265.00	194	23.58	S87-59-49E
58	17.94	N14-07-04W		195	23.33	S34-59-14E
59	9.33	N82-42-46W		196	102.78	N48-56-52E
60	19.46	N87-43-28E		197	65.17	S31-49-15E
61	24.00	S66-29-13E		198	13.45	N78-40-17E
62	25.74	S65-29-13E		199	18.20	S58-31-36E
63	4.78	2-44-25	100.00	200	20.04	S39-57-08E
64	12.88	14-45-35	50.00	201	111.56	N17-58-39E
65	21.55	3-17-31	375.00	202	121.54	S86-35-45E
66	5.84	N18-37-55W		203	114.19	S82-17-25W
67	22.90	N63-40-11W				
68	7.00	0-24-41	975.00			
69	22.11	1-17-58	975.00			
70	18.43	21-07-13	50.00			
71	2.00	N66-29-13W				
72	29.67	S 5-15-55	325.00			
73	19.46	S87-43-28W				
74	25.00	N51-18-01W				
75	26.99	1-30-31	1025.00			
76	71.32	N14-07-04W				
77	62.83	N45-58-56W				
78	62.99	N62-42-46W				
79	7.00	S 0-00-00E				
80	20.78	1-25-35	825.00			
81	15.00	3-49-11	225.00			
82	13.00	S64-52-47E				
83	7.44	8-31-32	50.00			
84	7.00	4-00-39	100.00			
85	23.93	7-50-01	175.00			
86	0.32	N10-54-50E				
87	25.40	29-06-10	50.00			
88	13.20	S 5-29-01E				
89	56.81	S17-08-58W				
90	13.00	0-46-48	955.00			
91	28.65	1-43-07	955.00			
92	5.00	S 5-43-46				
93	30.00	17-11-19	100.00			
94	24.70	14-09-14	100.00			
95	5.16	0-17-39	1005.00			
96	20.82	1-32-21	775.00			
97	27.80	N 4-37-51W				
98	6.00	S18-43-36W				
99	9.00	S18-43-36W				
100	4.93	2-49-28	100.00			
101	21.00	12-01-58	100.00			
102	15.45	1-13-16	725.00			
103	24.60	1-42-31	825.00			
104	25.50	2-00-05	730.00			
105	20.70	S 8-35-12W				
106	5.90	S18-13-41E				
107	25.00	N35-11-02W				
108	50.00	S13-25-53E				
109	38.00	S77-09-57E				
110	68.11	N16-17-33W				
111	3.59	0-24-42	500.00			
112	5.05	0-34-45	500.00			
113	10.00	S35-11-02E				
114	24.62	S35-11-02E				
115	17.70	1-23-21	730.00			
116	0.05	0-00-21	500.00			
117	3.59	0-24-42	500.00			
118	11.69	0-59-58	670.00			
119	24.00	N63-25-50W				
120	18.00	N75-13-57E				
121	20.00	22-55-06	50.00			
122	52.00	N61-09-36E				
123	20.00	22-55-06	50.00			
124	20.00	22-55-06	50.00			
125	20.00	22-55-06	50.00			
126	168.59	S78-43-05W				
127	86.00	N85-22-00W				
128	143.69	N 0-00-00W				
129	176.64	N12-11-00W				
130	184.14	N12-11-00W				
131	164.00	N18-43-36E				
132	108.82	N12-49-03E				
133	89.79	N 5-55-25E				
134	158.29	N 0-46-30W				
135	121.39	N 5-53-52W				
136	153.92	N90-00-00E				
137	166.33	N19-01-14W				

CURVE TABLE

NOTE	ARC LENGTH	DELTA	RADIUS	CHORD BEARING	CHORD DISTANCE
1	929.12	70-58-46	750.00	N64-30-37W	870.84
2	911.63	61-27-00	850.00	S59-15-30W	868.56
3	504.90	34-02-01	850.00	S11-32-00W	487.51
4	315.16	22-34-17	800.00	S05-48-08W	313.12
5	14.00	1-00-10	800.00	S17-35-21W	14.00
6	1057.24	86-32-11	700.00	S25-10-40E	959.58
7	80.03	5-43-54	800.00	S65-34-48E	80.06
8	384.40	27-31-49	800.00	S48-56-57E	380.71
9	365.56	27-44-30	755.00	S61-26-54W	382.00
10	285.44	20-26-35	800.00	N17-03-51E	283.93
11	487.84	69-52-42	400.00	N41-46-56E	458.17
12	410.66	117-38-47	200.00	N17-53-53E	342.23
13	108.78	15-34-54	400.00	N48-52-58W	108.44
14	405.45	38-43-03	800.00	S35-54-01W	397.78
15	350.43	44-37-06	450.00	S38-51-02W	341.64
16	235.12	89-48-30	150.00	S16-15-21W	211.78
17	197.63	113-13-54	100.00	S64-18-22E	187.00
18	80.38	19-11-22	240.00	S74-51-45E	80.00
19	367.87	60-11-21	350.00	S42-49-03E	351.00
20	222.87	13-01-46	980.00	S01-53-03W	222.39
21	326.13	23-21-27	800.00	S07-02-52W	323.88
22	517.19	39-30-37	750.00	S01-01-43E	507.00
23	140.26	26-47-19	300.00	S78-52-53E	138.99
24	471.35	27-00-23	1000.00	S66-50-03E	467.00
25	70.77	20-16-30	200.00	S54-44-33E	70.40
26	237.36	16-59-59	800.00	S08-29-59E	236.49
27	363.82	50-50-32	410.00	S08-25-17W	352.00
28	118.74	34-00-55	200.00	S88-24-59E	117.00
29	289.81	27-40-29	600.00	N75-17-14W	287.00
30	41.00	4-41-55	500.00	S58-42-13W	40.99
31	238.58	27-20-23	500.00	S47-22-59W	236.33
32	170.83	17-10-18	570.00	S25-07-38W	170.19
33	375.50	34-14-28	630.00	S01-53-03W	370.92
34	43.02	4-55-48	500.00	N48-19-02E	43.01
35	72.53	8-18-41	500.00	N50-00-28E	72.47
36	44.21	25-19-54	100.00	N77-12-31E	43.85
37	84.51	48-25-06	100.00	N76-52-31W	82.01
38	50.29	28-48-59	100.00	S09-16-39W	49.77
39	71.83	41-08-21	100.00	N40-29-18E	70.30
40	58.57	33-33-26	100.00	S81-59-30E	57.74
41	58.57	33-33-26	100.00	N48-06-04W	57.74
42	54.77	31-22-59	100.00	S73-30-09E	54.09
43	63.15	36-10-56	100.00	N40-19-12W	62.11
44	58.57	33-33-26	100.00	S82-15-56E	57.74
45	58.57	33-33-26	100.00	N48-42-30W	57.74
46	49.16	28-10-00	100.00	S38-28-41E	48.67
47	75.03	42-58-21	100.00	N08-13-11W	73.28
48	45.99	2			